


ALGORITHMS

who solves the problem?





algorithm, program, process

"A finitely long rule consisting of individual instructions is called an **algorithm**."

Source: Vornberger, O., Algorithmen und Datenstrukturen, Lecture notes: <http://www-lehre.inf.uos.de/~ainf/2013/PDF/skript.pdf>

"A **program** is an algorithm expressed in a programming language."

Source: Vornberger, O., Algorithmen und Datenstrukturen, Lecture notes: <http://www-lehre.inf.uos.de/~ainf/2013/PDF/skript.pdf>

"A **process** is a program that is currently executed by a computer."

Source: Vornberger, O., Algorithmen und Datenstrukturen, Lecture notes: <http://www-lehre.inf.uos.de/~ainf/2013/PDF/skript.pdf>



greatest common divisor

euclidean algorithm

Identify the larger number. If $a < b$, swap numbers so that $a > b$

Subtract b from a and replace a with the result

Repeat until one of the numbers becomes 0

Return the number that is not zero

Loop 1:

a = 18, b = 48 → swap

Loop 1:

$a = 18, b = 48 \rightarrow \text{swap} \rightarrow a = 48, b = 18$

$a = 48 - 18 = 30$

Loop 1:

$a = 18, b = 48 \rightarrow \text{swap} \rightarrow a = 48, b = 18$

$a = 48 - 18 = 30$

Loop 2:

$a = 30, b = 18 \rightarrow \text{no swap}$

$a = 30 - 18 = 12$

Loop 1:

$a = 18, b = 48 \rightarrow \text{swap} \rightarrow a = 48, b = 18$

$a = 48 - 18 = 30$

Loop 2:

$a = 30, b = 18 \rightarrow \text{no swap}$

$a = 30 - 18 = 12$

Loop 3:

$a = 12, b = 18 \rightarrow \text{swap} \rightarrow a = 18, b = 12$

$a = 18 - 12 = 6$

Loop 1:

$a = 18, b = 48 \rightarrow \text{swap} \rightarrow a = 48, b = 18$

$a = 48 - 18 = 30$

Loop 2:

$a = 30, b = 18 \rightarrow \text{no swap}$

$a = 30 - 18 = 12$

Loop 3:

$a = 12, b = 18 \rightarrow \text{swap} \rightarrow a = 18, b = 12$

$a = 18 - 12 = 6$

Loop 4:

$a = 6, b = 12 \rightarrow \text{swap} \rightarrow a = 12, b = 6$

$a = 12 - 6 = 6$

Loop 1:

$a = 18, b = 48 \rightarrow \text{swap} \rightarrow a = 48, b = 18$

$a = 48 - 18 = 30$

Loop 2:

$a = 30, b = 18 \rightarrow \text{no swap}$

$a = 30 - 18 = 12$

Loop 3:

$a = 12, b = 18 \rightarrow \text{swap} \rightarrow a = 18, b = 12$

$a = 18 - 12 = 6$

Loop 4:

$a = 6, b = 12 \rightarrow \text{swap} \rightarrow a = 12, b = 6$

$a = 12 - 6 = 6$

Loop 5:

$a = 6, b = 6 \rightarrow \text{no swap}$

$a = 6 - 6 = 0$

Loop 1:

$a = 18, b = 48 \rightarrow \text{swap} \rightarrow a = 48, b = 18$

$a = 48 - 18 = 30$

Loop 2:

$a = 30, b = 18 \rightarrow \text{no swap}$

$a = 30 - 18 = 12$

Loop 3:

$a = 12, b = 18 \rightarrow \text{swap} \rightarrow a = 18, b = 12$

$a = 18 - 12 = 6$

Loop 4:

$a = 6, b = 12 \rightarrow \text{swap} \rightarrow a = 12, b = 6$

$a = 12 - 6 = 6$

Loop 5:

$a = 6, b = 6 \rightarrow \text{no swap}$


$a = 6 - 6 = 0$

return b = 6


flow diagrams




start / end of
algorithm



decision



input / output




repetition



command /
assignment



external routine






square roots

babylonian method

calculate square root of
 $x = 16$


$$A = 1$$

$$B = X / A = 16$$



$$A = (A + B) / 2 = 17 / 2 = 8.5$$

$$B = X / A = 16 / 8.5 \approx 1.88$$




$$A = (A + B) / 2 \approx 10.38 / 2 \approx 5.19$$

$$B = X / A \approx 16 / 5.19 \approx 3.08$$




$$A = (A + B) / 2 \approx 8.27 / 2 \approx 4.14$$


$$B = X / A \approx 16 / 4.14 \approx 3.86$$





$$A = (A + B) / 2 = 8 / 2 = 4$$


$$B = X / A = 16 / 4 = 4$$




















estimating π










$2r$

$$\frac{\text{○}}{\text{□}} = \frac{\pi r^2}{4r^2}$$


$2r$



$2r$

$$\frac{\text{○}}{\text{□}} = \frac{\pi r^2}{4r^2}$$

$2r$




$2r$


$$\frac{\text{○}}{\text{□}} = \frac{\pi}{4}$$

$2r$


monte carlo simulation




$$\frac{\text{Circle}}{\text{Square}} = \frac{\pi}{4}$$




$$4 \frac{\text{O}}{\text{□}} = \pi$$




$$4 \frac{\text{O}}{\text{□}} = \pi$$
$$= 4$$




$$4 \frac{\text{O}}{\text{□}} = \pi$$
$$= 4$$




$$4 \frac{\text{O}}{\text{□}} = \pi$$
$$= 4$$




$$4 \frac{\text{circle}}{\text{square}} = \pi$$
$$= 3$$




$$4 \frac{\text{O}}{\text{□}} = \pi$$
$$= 3,2$$




$$4 \frac{\text{Circle}}{\text{Square}} = \pi$$
$$= 3,33$$



$$4 \frac{\text{○}}{\text{□}} = \pi$$
$$= 3,43$$



$$4 \frac{\text{Area of Circle}}{\text{Area of Square}} = \pi$$
$$= 3$$



gregory-leibniz series

$$\pi = 4 \sum_{n=0}^{\infty} \frac{(-1)^n}{2n+1}$$

$$\pi = 4\left(1 - \frac{1}{3} + \frac{1}{5} - \frac{1}{7} + \frac{1}{9} - \frac{1}{11} + \dots\right)$$



sorting

[9, 5, 2, 1, 4, 7]

bubble sort

repeatedly compare and swap elements
until done.

[9, 5, 2, 1, 4, 7]

[9, 5, 2, 1, 4, 7] \longrightarrow 9 > 5 ?

[9, 5, 2, 1, 4, 7] \longrightarrow 9 > 5 ? $\xrightarrow{\text{yes}}$ [5, 9, 2, 1, 4, 7]

[9, 5, 2, 1, 4, 7] \longrightarrow 9 > 5 ? $\xrightarrow{\text{yes}}$ [5, 9, 2, 1, 4, 7]

[5, 9, 2, 1, 4, 7] \longrightarrow 9 > 2 ? $\xrightarrow{\text{yes}}$ [5, 2, 9, 1, 4, 7]

[9, 5, 2, 1, 4, 7] \longrightarrow 9 > 5 ? $\xrightarrow{\text{yes}}$ [5, 9, 2, 1, 4, 7]

[5, 9, 2, 1, 4, 7] \longrightarrow 9 > 2 ? $\xrightarrow{\text{yes}}$ [5, 2, 9, 1, 4, 7]

[5, 2, 9, 1, 4, 7] \longrightarrow 9 > 1 ? $\xrightarrow{\text{yes}}$ [5, 2, 1, 9, 4, 7]

[9, 5, 2, 1, 4, 7] \longrightarrow 9 > 5 ? $\xrightarrow{\text{yes}}$ [5, 9, 2, 1, 4, 7]

[5, 9, 2, 1, 4, 7] \longrightarrow 9 > 2 ? $\xrightarrow{\text{yes}}$ [5, 2, 9, 1, 4, 7]

[5, 2, 9, 1, 4, 7] \longrightarrow 9 > 1 ? $\xrightarrow{\text{yes}}$ [5, 2, 1, 9, 4, 7]

[5, 2, 1, 9, 4, 7] \longrightarrow 9 > 4 ? $\xrightarrow{\text{yes}}$ [5, 2, 1, 4, 9, 7]

[9, 5, 2, 1, 4, 7] \longrightarrow 9 > 5 ? $\xrightarrow{\text{yes}}$ [5, 9, 2, 1, 4, 7]

[5, 9, 2, 1, 4, 7] \longrightarrow 9 > 2 ? $\xrightarrow{\text{yes}}$ [5, 2, 9, 1, 4, 7]

[5, 2, 9, 1, 4, 7] \longrightarrow 9 > 1 ? $\xrightarrow{\text{yes}}$ [5, 2, 1, 9, 4, 7]

[5, 2, 1, 9, 4, 7] \longrightarrow 9 > 4 ? $\xrightarrow{\text{yes}}$ [5, 2, 1, 4, 9, 7]

[5, 2, 1, 4, 9, 7] \longrightarrow 9 > 7 ? $\xrightarrow{\text{yes}}$ [5, 2, 1, 4, 7, 9]

[5, 2, 1, 4, 7, 9] \longrightarrow 5 > 2 ? $\xrightarrow{\text{yes}}$ [2, 5, 1, 4, 7, 9]

[5, 2, 1, 4, 7, 9] \longrightarrow 5 > 2 ? $\xrightarrow{\text{yes}}$ [2, 5, 1, 4, 7, 9]

[2, 5, 1, 4, 7, 9] \longrightarrow 5 > 1 ? $\xrightarrow{\text{yes}}$ [2, 1, 5, 4, 7, 9]

[5, 2, 1, 4, 7, 9] \longrightarrow 5 > 2 ? $\xrightarrow{\text{yes}}$ [2, 5, 1, 4, 7, 9]

[2, 5, 1, 4, 7, 9] \longrightarrow 5 > 1 ? $\xrightarrow{\text{yes}}$ [2, 1, 5, 4, 7, 9]

[2, 1, 5, 4, 7, 9] \longrightarrow 5 > 4 ? $\xrightarrow{\text{yes}}$ [2, 1, 4, 5, 7, 9]

[5, 2, 1, 4, 7, 9] \longrightarrow 5 > 2 ? $\xrightarrow{\text{yes}}$ [2, 5, 1, 4, 7, 9]

[2, 5, 1, 4, 7, 9] \longrightarrow 5 > 1 ? $\xrightarrow{\text{yes}}$ [2, 1, 5, 4, 7, 9]

[2, 1, 5, 4, 7, 9] \longrightarrow 5 > 4 ? $\xrightarrow{\text{yes}}$ [2, 1, 4, 5, 7, 9]

[2, 1, 4, 5, 7, 9] \longrightarrow 5 > 7 ? $\xrightarrow{\text{no}}$ [2, 1, 4, 5, 7, 9]

[2, 1, 4, 5, 7, 9] \longrightarrow 2 > 1? $\xrightarrow{\text{yes}}$ [1, 2, 4, 5, 7, 9]

[2, 1, 4, 5, 7, 9] \longrightarrow 2 > 1 ? $\xrightarrow{\text{yes}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 2 > 4 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[2, 1, 4, 5, 7, 9] \longrightarrow 2 > 1 ? $\xrightarrow{\text{yes}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 2 > 4 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 4 > 5 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 1 > 2 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 1 > 2 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 2 > 4 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 1 > 2 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] \longrightarrow 1 > 2 ? $\xrightarrow{\text{no}}$ [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] DONE!

selection sort

find the smallest element and move it to front. repeat for the rest of the elements.

[9, 5, 2, 1, 4, 7] $\xrightarrow{\text{move to front}}$ [1, 5, 9, 2, 4, 7]

move to front

[9, 5, 2, 1, 4, 7] → [1, 5, 9, 2, 4, 7]

[1, 5, 9, 2, 4, 7] → [1, 2, 5, 9, 4, 7]

move to front

[9, 5, 2, 1, 4, 7] → [1, 5, 9, 2, 4, 7]

[1, 5, 9, 2, 4, 7] → [1, 2, 5, 9, 4, 7]

[1, 2, 5, 9, 4, 7] → [1, 2, 4, 5, 9, 7]

move to front

[9, 5, 2, 1, 4, 7] → [1, 5, 9, 2, 4, 7]

[1, 5, 9, 2, 4, 7] → [1, 2, 5, 9, 4, 7]

[1, 2, 5, 9, 4, 7] → [1, 2, 4, 5, 9, 7]

[1, 2, 4, 5, 9, 7] → [1, 2, 4, 5, 9, 7]

move to front

[9, 5, 2, 1, 4, 7] → [1, 5, 9, 2, 4, 7]

[1, 5, 9, 2, 4, 7] → [1, 2, 5, 9, 4, 7]

[1, 2, 5, 9, 4, 7] → [1, 2, 4, 5, 9, 7]

[1, 2, 4, 5, 9, 7] → [1, 2, 4, 5, 9, 7]

[1, 2, 4, 5, 9, 7] → [1, 2, 4, 5, 7, 9]

move to front

[9, 5, 2, 1, 4, 7] → [1, 5, 9, 2, 4, 7]

[1, 5, 9, 2, 4, 7] → [1, 2, 5, 9, 4, 7]

[1, 2, 5, 9, 4, 7] → [1, 2, 4, 5, 9, 7]

[1, 2, 4, 5, 9, 7] → [1, 2, 4, 5, 9, 7]


[1, 2, 4, 5, 9, 7] → [1, 2, 4, 5, 7, 9]

[1, 2, 4, 5, 7, 9] → [1, 2, 4, 5, 7, 9]


merge sort


divide the elements recursively in two halves until only one element is left.
then merge the sorted halves back together.


divide the elements **recursively** in two halves until only one element is left.
then merge the sorted halves back together.





























complexity





$O(n)$



O(1)	runtime is constant and independent of problem size
O(log₂ n)	runtime is determined by the logarithm of problem size
O(n)	runtime is linear to problem size
O(n²)	runtime grows quadratically with the size of the problem
O(n³)	runtime grows cubically with the size of the problem
O(2ⁿ)	runtime grows exponentially with the size of the problem
O(n!)	runtime grows factorially with the size of the problem




optimization




traveling salesmen

shortest tour?




shortest tour?




brute force

$$O(n) = n!$$


5 possible cities




5 4 possible cities




5 4 3 possible cities




5 4 3 2 possible cities




5 4 3 2 1 possible city



5 4 3 2 1 return nome



5 4 3 2 1 return nome



$$O(n) = n!$$

$$n = 5$$

$$O(n) = n!$$

$$n = 5$$

$$N = 5 * 4 * 3 * 2 * 1$$

$$O(n) = n!$$

$$n = 5$$

$$N = 5 * 4 * 3 * 2 * 1$$

$$= 120$$

$$n = 10$$

$$n = 20$$

$$n = 30$$

$$n = 25$$

brute force takes longer than the universe is old

$$n = 60$$

more possible routes than atoms in the universe




Image source: [IEEE](#)



Image source: [VDI Nachrichten](#)



Image source: [Wikimedia](#)




Image source: <https://github.com/meiyi1986/tutorials/blob/master/notebooks/img/pcb-drilling.jpeg>



Image source: [IAS Observatory](#)




shortest paths




dijkstra's algorithm

Distances: $A = 0$, $B = \infty$, $C = \infty$, $D = \infty$, $E = \infty$


Set A as first location




Distances: $A = 0$, $B = 6$, $C = \infty$, $D = \infty$, $E = \infty$



Distances: $A = 0$, $B = 6$, $C = \infty$, $D = 1$, $E = \infty$



Distances: $A = 0$, $B = 6$, $C = \infty$, $D = 1$, $E = \infty$




Move to D as
next location

Mark A as
visited


Distances: A = 0, B = 3, C = ∞ , D = 1, E = ∞

Update distance
to B to 3




Distances: A = 0, B = 3, C = ∞ , D = 1, E = 2

Update distance
to E to 2



Distances: A = 0, B = 3, C = ∞ , D = 1, E = 2




Move to E as next location


Mark D as visited

Distances: A = 0, B = 3, C = 7, D = 1, E = 2


Update distance
to C to 7



Distances: A = 0, B = 3, C = 7, D = 1, E = 2




Distances: A = 0, B = 3, C = 7, D = 1, E = 2



Move to B as
new location

Mark E as
visited


Distances: A = 0, B = 3, C = 7, D = 1, E = 2




No further locations reachable from B

Distances: A = 0, B = 3, C = 7, D = 1, E = 2

Move to C as
new location




Distances: A = 0, B = 3, C = 7, D = 1, E = 2



No further
locations
reachable from
C

Distances: A = 0, B = 3, C = 7, D = 1, E = 2



All nodes
visited, we're
done!



spam emails



finding oranges in images




Image source: [Wikimedia](#)




Image source: [Wikimedia](#)




Image source: [Wikimedia](#)

what set of rules can solve this?

machine learning algorithms

